

### Leading Harris County: Public Guidelines for a Healthy Community

### Message from Harris County Judge Lina Hidalgo

During this uncertain time, we must do everything we can to put ourselves in the best position to succeed in our fight against COVID-19: manage the spread of the virus, keep the number of cases and deaths low, and keep our hospitals from becoming overwhelmed. Safety measures such as social distancing, wearing face coverings, and staying home from work, school, and social activities are difficult. But, if followed closely, these orders and policies can save thousands of lives. They can give us our best shot at reopening sustainably, rather than driving our community toward the breaking point time and time again, hurting our economy even more profoundly over the long term.

We cannot, at least not now, go back to the way our lives were before COVID-19 emerged in Harris County. We must assess the risk for everything we do. Harris County Public Health has developed the recommendations published here to help us safely navigate our everyday lives and better manage the ebbs and flows in severity of the threat of COVID-19. We must remember that a resurgence of the virus that can knock us down and put us right back where we started, or worse, is right around the corner as long as a vaccine or treatment are not readily available.

We all want to get back to work, see our friends, hug our family, go out to eat, and resume our livelihoods without limitations, but we still have a long road ahead of us to end this epidemic.

Here in Harris County, we remain committed to taking whatever actions are necessary to save lives — not just the lives of people with the virus, but the lives of anyone requiring a hospital bed.

We will continue this fight to keep you and your family healthy as long as we have to. Here in Harris County, we are in this together.

### Message from Dr. Umair Shah, Director, Harris County Public Health

COVID-19 has had a devastating impact globally, nationally and locally here in Harris County. Currently there is no treatment or vaccine to prevent COVID-19, so prevention is the best way to reduce your chances of getting COVID-19. This includes tried and true actions such as maintaining social distancing from others (6ft or 2m), wearing facial coverings, proper handwashing, and staying home and away from others if you are sick. Extensive social distancing and these other types of interventions have shown to be successful in other countries to prevent or delay a rapid increase in the number of cases and deaths. However, these measures do not eliminate the threat COVID-19 poses within our community.

Social distancing has allowed Harris County to slow down rapid accelerations in the number of positive cases as well as hospitalizations, which has given our public health and healthcare systems more time to prepare for a potential surge of cases. To continue reducing spread and deaths from COVID-19, social distancing and other preventive measures must be sustained, and testing must be widely available until vaccine options are developed.

Harris County Public Health (HCPH) is continually working to keep the community healthy and safe by conducting its epidemiology (disease detective) work including disease surveillance and investigations; building data and technology infrastructure; coordinating and providing testing, both in the community and at nursing homes and other group facilities; monitoring levels of important supplies and equipment in the healthcare system; and continuing to reach out to educate the community.

HCPH has developed these local public health recommendations as a guide for residents to understand better state and local COVID-19 orders and guidance. It will take everyone in the community working as a team to continue to slow the spread of COVID-19 and ultimately stop this pandemic.

We thank all our community, including businesses, faith-leaders, and other partners for continuing to do their part in reducing the spread of COVID-19 in Harris County. We must all come together to combat COVID-19 today and into the future.



# Levels of COVID-19 Risk and Considerations for Changing Community Action

	and <b>4:</b> green. Local infectious disease spe	etermine the current level of risk of COVID cialists and public health experts will use	1-19 transmission. The system includes fou the latest information on local disease act	The guidance below describes the relevels of risk: 1: red, 2: orange, 3: yellow, rivity and these indicators to advise county early to the public on <a href="https://www.readyharris.org">www.readyharris.org</a> .
Risk Level	Level 1: Severe Uncontrolled Community Transmission	Level 2: Significant Uncontrolled Community Transmission	Level 3: Moderate, Controlled  Transmission	Level 4: Minimal, Controlled Transmission
Level Description	<ol> <li>Community outbreaks present and worsening.</li> <li>Public health (testing and contact tracing) capacity strained or exceeded.</li> <li>Healthcare surge likely.</li> </ol>	<ol> <li>Significant community transmission with limited evidence of reduction due to public health measures and/or other factors.</li> <li>Public health (testing and contact tracing) capacity likely sufficient.</li> <li>Healthcare system within capacity and surge less probable.</li> </ol>	<ol> <li>Demonstrated reduction in transmission due to public health measures and/or other factors.</li> <li>Public health (testing and tracing) systems within capacity.</li> <li>Healthcare system within capacity with significant reserves.</li> </ol>	1. New chains of transmission are limited and quickly broken. 2. Public health and healthcare systems within capacity with significant reserves.  OR 3. Effective medical countermeasures (vaccine and/or treatment) developed and widely deployed.
Considerations for Moving Forward <sup>1</sup>	<ol> <li>1. 14-day flat or decreasing trend in new COVID-19 cases in Harris County</li> <li>2. 14-day flat or decreasing trend in daily COVID-19 hospital population in Harris County</li> <li>3. 14-day flat or decreasing trend in daily COVID-19 ICU population in Harris County</li> <li>4. 14-day average of fewer than 15% of general population and ICU beds in use by COVID-19 patients in Harris County</li> </ol>	<ol> <li>14-day flat or decreasing trend in new COVID-19 cases in Harris County</li> <li>14-day flat or decreasing trend in daily COVID-19 hospital population in Harris County</li> <li>14-day flat or decreasing trend in daily COVID-19 ICU population in Harris County</li> <li>14-day average of fewer than 10% of general population and ICU beds in use by COVID-19 patients in Harris County</li> </ol>	<ol> <li>14-day flat or decreasing trend in new COVID-19 cases in Harris County</li> <li>14-day flat or decreasing trend in daily COVID-19 hospital population in Harris County</li> <li>14-day flat or decreasing trend in daily COVID-19 ICU population in Harris County</li> <li>14-day average of fewer than 5% of general population and ICU beds in use by COVID-19 patients in Harris County</li> </ol>	

<sup>&</sup>lt;sup>1</sup> All considerations for moving forward must be satisfied in order to warrant a reduction in the current level of risk.



		1.	Widespread deployment of medical countermeasures (vaccine and/or treatment)		
Considerations for Moving Back <sup>2</sup>	<ol> <li>7-day average of greater than 100 new COVID-19 cases in Harris County</li> <li>7-day increasing trend in new COVID-19 cases in Harris County</li> </ol>	Testing 1. 2. Hospita 3.	7-day average of greater than 50 new COVID-19 cases in Harris County 7-day increasing trend in new COVID-19 cases in Harris County	Testing 1. 2.	7-day average of greater than 25 new COVID-19 cases in Harris County 7-day increasing trend in new COVID-19 cases in Harris County
	Harris County  4. 3-day average of greater than 15% of current ICU beds in use by COVID-19 patients in Harris County  Equipment and Supply Chain  5. Less than 30 days of projected availability of personal protective equipment within healthcare systems	Equipmo	Harris County 3-day average of greater than 15% of current ICU beds in use by COVID- 19 patients in Harris County ent and Supply Chain Less than 30 days of projected availability of personal protective equipment within healthcare systems		

3

<sup>&</sup>lt;sup>2</sup> Any combination of considerations for moving back, or any significant healthcare or public health burden not represented by these considerations, may merit an elevation in the current level of risk.



# Levels of COVID-19 Risk and Guidance for Community Action

Risk Levels	Level 1: Severe Uncontrolled		Level 2: Significant		Level 3: Moderate, Controlled		Level 4: Minimal, Controlled		
	Com	munity Transmission	Uncontrolled Community		Transmission		Transmission		
			Transmission						
Public Health	Minim	ize contact with others wherever	Minimize contact with others, but begin		Resume contact with others and resume		Resume normal contact with others unless		
Recommendations	Г	le and avoid leaving home except for	_		leaving the home, even for larger		sick.		
	essential needs. Practice social distancing		except medium and large gatherings.		gatherings. Practice social distancing and				
	and use face coverings.		Practice social distancing and use face		use face coverings.				
			coverin						
Daily Life	1.		1.	Stay home when possible.	1.	Stay home when possible.	1.		
		activities <sup>3</sup> .	2.	Avoid and cancel medium (10-250	2.	Minimize attendance at medium		resume in-person work schedules.	
	2.	Avoid and cancel all gatherings of		people) and large public and private		(10-250 people) and large public and	2.	01	
		any size.		gatherings (250+ people).		private gatherings (250+ people).		gatherings freely.	
	3.	All vulnerable individuals (65+ or	3.	All vulnerable individuals (65+ or	3.	All vulnerable individuals (65+ or	3.		
		with preexisting health conditions)		with preexisting health conditions)		with preexisting health conditions)		preexisting health conditions) leave	
		stay home when possible.	_	stay home when possible.	4	stay home when possible.		home as necessary. Good hygiene	
	4.		4.		4.	Self-quarantine responsibly for 14		and social distancing are still	
		days if in close and prolonged		days if in close and prolonged		days if in close and prolonged	4	recommended.	
		contact with someone who has COVID-19.		contact with someone who has COVID-19.		contact with someone who has COVID-19.	4.	Self-quarantine responsibly for 14 days if in close and prolonged	
	5.		5.	Wear face coverings to protect	5.	Wear face coverings to protect		contact with someone who has	
	3.	others.	5.	others.	5.	others.		COVID-19.	
	6.	Essential workers practice special	6.	Essential workers practice special	6.	Essential workers follow standard	5.	Resume non-essential travel. Avoid	
	0.	precautions to prevent spread.	0.	precautions to prevent spread.	0.	precautions.	J.	other states or countries where	
	7.	·	7.	Avoid non-essential business and	7.	Limit visits to non-essential business		widespread transmission may still be	
	'.	personal travel. Follow state	'	personal travel. Follow state	'	and personal travel. Follow state		occurring.	
		guidance for quarantine after		guidance for quarantine after		guidance for quarantine after	6.	Resume full public transportation	
		visiting certain locations.		visiting certain locations.		visiting certain locations.	J.	use.	
	8.	Avoid public transportation where	8.	Use public transportation with	8.	Continue to use public			
	3.	possible.	]	caution. Practice good hygiene and		transportation. Practice good			
		F		social distancing.		hygiene.			

<sup>&</sup>lt;sup>3</sup> Essential activities as defined in the County's Initial Stay at Home, Work Safe order.





Public Health Guidance for the General Public	The following public health guidance for individuals is available on <a href="https://example.com/hcphtx.org/nCoV">hcphtx.org/nCoV</a> . This guidance can be used to help you decide how to keep yourself, your family, and your community safe. Guidance is periodically updated, especially as trends in early warning signs change.
General Public	HCPH Guidance for General Public
Using Gloves and Face Masks	HCPH Guidance for Removing Gloves and Using Masks and Risk Factors
Treating Mild COVID-19 Symptoms at Home	HCPH Guidance for Treating Mild Symptoms at Home
Apartment Residents	HCPH Guidance for Reducing the Risk for Apartment Residents
Cleaning, Disinfecting, and Laundry	HCPH Guidance for Cleaning Products and Laundry and Cleaning and Disinfecting
Safe Sex	HCPH Guidance for Safe Sex Interactions
Public Transportation	HCPH Guidance for Public Transportation
Grocery Shopping	HCPH Guidance for Grocery Shopping
Maternal Health and Pregnancy	HCPH Guidance for Maternal Health and Pregnant Women
Funerals	HCPH Guidance for Funerals
Parks	HCPH Guidance for Activity in Parks and Recreation
Pets	HCPH Guidance for Pet Shelters and Owners
Mental Health	HCPH Guidance for Mental Health and Coping with Stress
High Risk Individuals	HCPH Guidance for People at Higher Risk and Reducing Risk for Older Adults
Social Distancing and Self-Monitoring	HCPH Guidance for Social Distancing and Self-Monitoring
Domestic Violence	HCPH Guidance for Domestic Violence Resources



### Lowering the Risk of Spreading COVID-19:

Reopening establishments in a responsible way requires the Harris County community to work as a team – employers, employees; business owners, customers; establishments and community members alike. It is critically important for every person to pay attention to possible COVID-19 symptoms and keep track of close contacts.

The virus that causes COVID-19 can be spread by infected persons who appear to have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is age 65 or older with pre-existing health conditions which place them at a much higher risk. That means all of us have a part to play in making sure our community stays healthy and protected. If you believe you are sick, stay home, seek testing immediately, and treatment, if necessary.

Before	you engage with the public, do an <b>honest</b> self-assessment and screen yourself for COVID-19 symptoms:
	Cough
	Shortness of breath or difficulty breathing
	Chills
	Repeated shaking with chills
	Muscle pain
	Headache
	Sore throat
	Loss of taste or smell
	Diarrhea
	Feeling feverish or a measured temperature greater than or equal to 100.4 degrees Fahrenheit
	Known close contact with a person who is lab confirmed to have COVID-19
You car	n access free testing by visiting http://covidcheck.hctx.net or by calling 832-927-7575.

#### FOR MORE INFORMATION:

- \*Early warning signs aligned with <u>Texas Medical Center's COVID-19 Data Pack</u>
- HCPH reopening resources
- Governor's Strike Force to Open Texas
- Texans Back to Work Task Force Report
- Executive Order by Gov. Greg Abbott EO-GA-21
- Greater Houston Partnership's Work Safe 2.0: 15 Principles to Guide the Safe Reopening of Houston Companies
- Baylor College of Medicine's <u>Guide to Reopening Businesses</u>



Southeast Texas Regional Advisory Council

- CDC <u>Guidelines</u>
- Americans with Disabilities Act <u>ADA.gov</u>
- U.S. Department of Labor OSHA